



ADT

NO SMOKING















EXIT





EXIT

88

88

88



LENNOX

Industries Inc.
DALLAS, TEXAS



LISTED
793U

REFRIGERANT EVAPORATOR
MODEL NUMBER

C24-51-RFC-1

CONTAINS HCFC-22
MIN. DESIGN PRESSURE: 278 PSIG

0048

MLC

8-8211BF

SERIAL NUMBER
NOMBRE DE SERIE

5193D83400

04/93

MLC 8-7386D

REPLACEABLE MOTOR
FUTURE SUMMER



**SAFETY
SWITCH**

100 AMP. 240 V.A.C.

PHASE	STD. H.P.	MAX. H.P.
3	15	30
1	7½	15

USE TIME DELAY FUSES ABOVE STD.
H.P. RATING. SEE ADD'L DATA INSIDE

SQUARE D COMPANY

J-353640

DANGER
HIGH VOLTAGE

OFF


QO LOAD CENTER
CAT. NO. QOC12


SERVICE RATING _____
 ELECTRICAL INSPECTION BY _____

1	ITEK	R	4
2	MAA	R	5
3	W	R	6
4		R	7
5		R	8
6		R	9
7		R	10
8		R	11
9		R	12
10		R	
11		R	
12		R	

CIRCUIT INDICATIONS

ON 

OFF 

TRIPPED 

HANDLE AT MID POSITION OR RED VISH-TRIP INDICATOR SHOWS BREAKER IS TRIPPED. TO RESET, PUSH HANDLE TO OFF POSITION, THEN TURN ON.

Underwriters' Laboratories, Inc.
 LISTED
 ELECTRIC CABINET FRONT
 ISSUE NO. K-866

SQUARE D COMPANY
 PLANT 15 MADE IN U.S.A.

R - HANDLES

K 80 F 8701

40260-022-01